

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Safety Data Sheet dated 30/6/2016, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name:

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Concentrated detergent for hard surfaces.

Consumer use (SU21) - Cleaning and washing product (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it


1.4. Emergency telephone number


+39 0143 631.1 mon-fri 9.00/17.00


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

 Warning, Flam. Liq. 3, Flammable liquid and vapour.

 Warning, Skin Irrit. 2, Causes skin irritation.

 Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire, use a dry powder fire extinguisher to extinguish.

Special Provisions:

None

Contents

2-AMINOETHANOL

ALKYL ETHER SULFATE C12-14, SODIUM SALT

Product contents:

anionic surfactants 5 - 15 %

non-ionic surfactants < 5 %

The product also contains: Perfumes

Allergens:

Preservatives: METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable, the product is a mixture

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 40% - < 50% ETHANOL; ETHYL ALCOHOL

REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6

 2.6/2 Flam. Liq. 2 H225

 3.3/2 Eye Irrit. 2 H319

>= 12.5% - < 15% 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER


REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1

 2.6/3 Flam. Liq. 3 H226


 3.8/3 STOT SE 3 H336

>= 5% - < 7% ALKYL ETHER SULFATE C12-14, SODIUM SALT

REACH No.: 01-2119488639-16, CAS: 68891-38-3, EC: 500-234-8

 3.2/2 Skin Irrit. 2 H315

4.1/C3 Aquatic Chronic 3 H412

 3.3/1 Eye Dam. 1 H318

>= 1% - < 3% PROPAN-2-OL

REACH No.: 01-2119457558-25, Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

 2.6/2 Flam. Liq. 2 H225

 3.3/2 Eye Irrit. 2 H319

 3.8/3 STOT SE 3 H336

>= 1% - < 3% 2-AMINOETHANOL


REACH No.: 01-2119486455-28, Index number: 603-030-00-8, CAS: 141-43-5, EC: 205-483-3

 3.2/1B Skin Corr. 1B H314

4.1/C3 Aquatic Chronic 3 H412

 3.8/3 STOT SE 3 H335

 3.1/4/Oral Acute Tox. 4 H302

 3.1/4/Dermal Acute Tox. 4 H312

 3.1/4/Inhal Acute Tox. 4 H332

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Store away from heat sources.

Do not store in open or unlabeled containers.

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular. See also section 10.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

EU - LTE(8h): 1920 mg/m³, 1000 ppm - Notes: WEL

ACGIH - STE(15min): 1880 mg/m³, 1000 ppm - Notes: A3 - URT irr

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

EU - LTE(8h): 375 mg/m³, 100 ppm - STE: 568 mg/m³, 150 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 50 ppm - STE: 100 ppm - Notes: A4 - Eye and URT irr

PROPAN-2-OL - CAS: 67-63-0

ACGIH - LTE(8h): 492 mg/m³, 200 ppm - STE(15min): 983 mg/m³, 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair

2-AMINOETHANOL - CAS: 141-43-5

EU - LTE(8h): 2.5 mg/m³, 1 ppm - STE: 7.6 mg/m³, 3 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 3 ppm - STE: 6 ppm - Notes: Eye and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

Worker Industry: 1900 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 950 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Worker Industry: 50.6 mg/kg - Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 369 mg/m³ - Consumer: 43.9 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 553.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Worker Industry: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Worker Industry: 175 mg/m³ - Consumer: 52 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
PROPAN-2-OL - CAS: 67-63-0
Worker Industry: 888 mg/kg - Consumer: 319 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Industry: 500 mg/m³ - Consumer: 89 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
2-AMINOETHANOL - CAS: 141-43-5
Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Industry: 3.3 mg/m³ - Consumer: 2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term (repeated)
Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

Target: Marine water - Value: 0.79 mg/l
Target: Fresh Water - Value: 0.96 mg/l
Target: Marine water sediments - Value: 2.9 mg/kg
Target: Soil (agricultural) - Value: 0.63 mg/kg
Target: Freshwater sediments - Value: 3.6 mg/kg

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Target: Marine water - Value: 1 mg/l
Target: Soil (agricultural) - Value: 4.59 mg/kg
Target: Microorganisms in sewage treatments - Value: 100 mg/l
Target: Marine water sediments - Value: 5.2 mg/kg
Target: Freshwater sediments - Value: 52.3 mg/kg

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Target: Marine water - Value: 0.024 mg/l
Target: Microorganisms in sewage treatments - Value: 10000 mg/l
Target: Marine water sediments - Value: 0.09168 mg/kg
Target: Soil (agricultural) - Value: 7.5 mg/kg
Target: Freshwater sediments - Value: 0.9168 mg/kg

PROPAN-2-OL - CAS: 67-63-0

Target: Microorganisms in sewage treatments - Value: 2251 mg/l
Target: Marine water sediments - Value: 552 mg/kg
Target: Soil (agricultural) - Value: 28 mg/kg
Target: Marine water - Value: 140.9 mg/l

2-AMINOETHANOL - CAS: 141-43-5

Target: Marine water - Value: 0.0085 mg/l
Target: Fresh Water - Value: 0.085 mg/l
Target: Air - Value: 0.025 mg/l
Target: Marine water sediments - Value: 0.0425 mg/kg
Target: Microorganisms in sewage treatments - Value: 100 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Use clothing that provides comprehensive protection to the skin. (EN14605 in case of spray or EN 13982 in case of powder)

Protection for hands:

Use protective gloves that provides comprehensive protection. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is flammable.

The product is not explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

The product is not dangerous for the environment - see section 2.1.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, green	Visual	--
Odour:	Apple vinegar	Olfactory	--
Odour threshold:	Evident	Olfactory	--
pH:	< 11,4	Instrumental control	--
Melting point / freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Initial boiling point and boiling range:	> 78	--	Estimated value on chemical / physical properties of components
Flash point:	24.5 ° C	EN ISO 3679	--
Evaporation rate:	Not Relevant	--	Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant	--	Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant	--	Parameter not relevant for the type of product
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Vapour density:	Not Relevant	--	Parameter not relevant for the type of product
Relative density:	0.926 g/ml	Instrumental control	--
Solubility in water:	Total	--	Internal test
Solubility in oil:	Partial	--	Parameter not relevant for the

			type of product
Partition coefficient (n-octanol/water):	< 1000	--	Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Viscosity:	< 10 cP	--	Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant	--	Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	--	Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	Parameter not relevant for the type of product
Fat Solubility:	Not Relevant	--	Parameter not relevant for the type of product
Conductivity:	Not Relevant	--	Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant	--	Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

In normal conditions no dangerous reactions of the mixture

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 7.2.

10.4. Conditions to avoid

Avoid direct sunlight and exposure to heat sources.

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

11.1. Information on toxicological effects

Toxicological information of the mixture:

Until the revision date of this document, are not available experimental toxicological data on the mixture.

For the classification of the mixture see section 2.1.

Not applicable

Toxicological information of the main substances found in the mixture:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg - Source: OECD401

Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m³ - Source: OECD403

Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg

c) serious eye damage/irritation:

Test: Eye Irritant Positive - Source: OECD405

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404

d) respiratory or skin sensitisation:

Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 - Notes: bw/day

Test: NOAEC - Route: Inhalation - Species: Rabbit = 1000 ppm - Source: OECD 413 - Notes: bw/day

f) carcinogenicity:

Test: NOAEC - Species: Mouse = 3000 ppm

g) reproductive toxicity:

Test: NOAEC - Species: Rat = 1500 ppm - Source: OECD 414

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OECD 402

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Source: OECD 404

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405

d) respiratory or skin sensitisation:

Test: SKIN_INHAL Negative - Source: OECD 406

e) germ cell mutagenicity:

Test: Mutagenesis Negative - Source: Ames Test

PROPAN-2-OL - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 10000 ppm - Duration: 6h

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit No - Source: OECD 404

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Yes - Source: OECD 405

d) respiratory or skin sensitisation:

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

- Test: SKIN_INHAL Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Negative
 - g) reproductive toxicity:
 - Test: NOAEL - Route: Oral - Species: Rabbit = 480 mg/kg
- 2-AMINOETHANOL - CAS: 141-43-5
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 1515 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit = 2504 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat > 1.3 mg/l - Duration: 6h
 - b) skin corrosion/irritation:
 - Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive
 - c) serious eye damage/irritation:
 - Test: Eye Corrosive - Species: Rabbit Positive
 - d) respiratory or skin sensitisation:
 - Test: SKIN_INHAL Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Negative

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The environmental hazard of the product are reported in Section 2.1 if applicable. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris

Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri

Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia > 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Notes: Leuciscus idus

Endpoint: EC50 - Species: Daphnia > 10 mg/l - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Notes: Scenedesmus subspicatus

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 1 mg/l - Notes: Leuciscus idus

Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC0 - Species: FANGHI > 100 mg/l - Notes: Pseudomonas putida

PROPAN-2-OL - CAS: 67-63-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 9640 mg/l - Duration h: 48 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 24 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 1800 mg/l - Duration h: 168 - Notes: Scenedesmus quadricauda

2-AMINOETHANOL - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio

Endpoint: LC50 - Species: Fish = 170 mg/l - Duration h: 96 - Notes: Carassius auratus

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

Endpoint: EC50 - Species: Algae = 22 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 720 - Notes: Oryzias latipes

Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC50 - Species: FANGHI = 110 mg/l - Duration h: 16 - Notes: Pseudomonas putida

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

Biodegradability: Readily biodegradable

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable Duration: 28 days - %: 96 - OECD 301

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Biodegradability: Readily biodegradable

2-AMINOETHANOL - CAS: 141-43-5

Biodegradability: Readily biodegradable - OECD 301A - Duration: 21 days - %: >90%

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture.

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

Bioaccumulation: Slightly bioaccumulative - Test: Kow - Partition coefficient -0.31 -

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentration factor: <100

2-AMINOETHANOL - CAS: 141-43-5

Bioaccumulation: Slightly bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 1993

IATA-UN Number: 1993

IMDG-UN Number: 1993

14.2. UN proper shipping name

ADR-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol, 1-methoxy-2-propanol)

IATA-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol, 1-methoxy-2-propanol)

IMDG-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol, 1-methoxy-2-propanol)

14.3. Transport hazard class(es)

ADR-Class: 3

ADR-Label 3

ADR - Hazard identification number: 30

IATA-Class: 3

IATA-Label: 3

IMDG-Class: 3

IMDG-Label 3

14.4. Packing group

ADR-Packing Group: III

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Environmental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
ADR-Subsidiary risks:	-
ADR-S.P.:	274 601
ADR-Tunnel Restriction Code:	D/E
IATA-Passenger Aircraft:	355
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	366
IATA-S.P.:	-
IATA-ERG:	3L
IMDG-S.P.:	223 274 955
IMDG-EmS:	F-E , S-E
IMDG-Subsidiary risks:	-
IMDG-Storage category:	Category A
IMDG-Storage notes:	-
IMDG-Segregation notes:	-
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	
Not applicable	

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
Product belongs to category: P5c

15.2. Chemical safety assessment

No, for instructions on safe handling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.

Paragraphs modified from the previous revision:

SECTION 4: First aid measures
SECTION 5: Firefighting measures
SECTION 7: Handling and storage
SECTION 8: Exposure controls/personal protection
SECTION 9: Physical and chemical properties
SECTION 10: Stability and reactivity
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 14: Transport information
SECTION 15: Regulatory information

The classification of product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EINECS: European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: Ordinance on Hazardous Substances, Germany.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.



Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA

INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
EC50:	Effective concentration, for 50 percent of test population.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.

Safety Data Sheet

EMULSIO NATURALE VETRI E MULTIUSO - RICARICA



ANNEX I

CONSUMER PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU21 – Consumer use
Product Category	PC35 – Cleaning and washing product (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment