



Safety Data Sheet EMULSIO EXPERT TERGI TUTTO

Safety Data Sheet dated 3/8/2023, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: EMULSIO EXPERT TERGI TUTTO

UFI: U8F2-D0G2-800N-2YAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Consumer use (SU21) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

None

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local regulation.

Special Provisions:

EUH208 Contains D-LIMONENE. May produce an allergic reaction.

EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.

May produce an allergic reaction.

Product contents:

aliphatic hydrocarbons

5 - 15 %

Allergens:

D-LIMONENE

Preservatives:

METHYLCHLOROISOTHIAZOLINONE,
METHYLISOTHIAZOLINONE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.


3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 7\%$ - $< 10\%$ HYDROCARBONS, C10-12, ISOALKANES

REACH No.: 01-2119471991-29, EC: 923-037-2

 2.6/3 Flam. Liq. 3 H226

 3.10/1 Asp. Tox. 1 H304

 4.1/C2 Aquatic Chronic 2 H411

EUH066

$\geq 5\%$ - $< 7\%$ ETHANOL

REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6

 2.6/2 Flam. Liq. 2 H225

 3.3/2 Eye Irrit. 2 H319

Specific Concentration Limits:

C $\geq 50\%$: Eye Irrit. 2 H319

$\geq 5\%$ - $< 7\%$ 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER

REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1

 2.6/3 Flam. Liq. 3 H226

 3.8/3 STOT SE 3 H336

$\geq 0.25\%$ - $< 0.5\%$ PROPAN-2-OL

REACH No.: 01-2119457558-25, Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7

 2.6/2 Flam. Liq. 2 H225

 3.3/2 Eye Irrit. 2 H319






 3.8/3 STOT SE 3 H336

$\geq 0.1\%$ - $< 0.25\%$ D-LIMONENE

REACH No.: 01-2119529223-47, Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

-  2.6/3 Flam. Liq. 3 H226
-  4.1/A1 Aquatic Acute 1 H400 M=1.
- 4.1/C3 Aquatic Chronic 3 H412
-  3.4.2/1B Skin Sens. 1B H317
-  3.2/2 Skin Irrit. 2 H315
-  3.10/1 Asp. Tox. 1 H304

< 0.0015% METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE
Index number: 613-167-00-5, CAS: 55965-84-9, EC: 611-341-5

-  3.1/2/Inhal Acute Tox. 2 H330
-  3.1/2/Dermal Acute Tox. 2 H310
-  3.1/3/Oral Acute Tox. 3 H301
-  3.2/1B Skin Corr. 1B H314
-  3.3/1 Eye Dam. 1 H318
-  3.4.2/1A Skin Sens. 1A H317
-  4.1/A1 Aquatic Acute 1 H400 M=100.
-  4.1/C1 Aquatic Chronic 1 H410 M=100.

EUH071

Specific Concentration Limits:
C >= 0,6%: Skin Corr. 1B H314
0,06% <= C < 0.6%: Skin Irrit. 2 H315
0,06% <= C < 0.6%: Eye Irrit. 2 H319
C >= 0,0015%: Skin Sens. 1A H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

- 4.2. Most important symptoms and effects, both acute and delayed
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.
- 4.3. Indication of any immediate medical attention and special treatment needed
Treatment:
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Suitable extinguishing media:
Water.
Carbon dioxide (CO₂).
Extinguishing media which must not be used for safety reasons:
None in particular.
- 5.2. Special hazards arising from the substance or mixture
The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.
The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
For non emergency personnel:
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
For emergency responders:
Wear personal protection equipment.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Store away from heat sources.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

HYDROCARBONS, C10-12, ISOALKANES

ACGIH - TWA(8h): 1200 mg/m³, 196 ppm - Notes: RCP (total hydrocarbons)

ETHANOL - CAS: 64-17-5

ACGIH - STEL(15min): 1884 mg/m³, 1000 ppm

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

EU - TWA(8h): 375 mg/m³, 100 ppm - STEL(15min): 568 mg/m³, 150 ppm - Notes: Skin

ACGIH - TWA(8h): 50 ppm - STEL(15min): 100 ppm

PROPAN-2-OL - CAS: 67-63-0

ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Worker Industry: 950 mg/m³ - Consumer: 114 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 343 mg/kg - Consumer: 206 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

Consumer: 87 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/day

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Worker Industry: 183 mg/kg - Consumer: 78 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

Worker Industry: 369 mg/m³ - Consumer: 43.9 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 33 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/day

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO



Worker Industry: 553.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 553.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

PROPAN-2-OL - CAS: 67-63-0

Worker Industry: 888 mg/kg - Consumer: 319 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 500 mg/m³ - Consumer: 89 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

D-LIMONENE - CAS: 5989-27-5

Worker Industry: 66.7 mg/m³ - Consumer: 16.6 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 9.5 mg/kg - Consumer: 4.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 4.8 mg/m³ - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Target: Fresh Water - Value: 0.96 mg/l

Target: Marine water - Value: 0.79 mg/l

Target: Freshwater sediments - Value: 3.6 mg/kg

Target: Marine water sediments - Value: 2.9 mg/kg

Target: Microorganisms in sewage treatments - Value: 580 mg/l

Target: Soil (agricultural) - Value: 0.63 mg/kg

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Target: Fresh Water - Value: 10 mg/l

Target: Marine water - Value: 1 mg/l

Target: Freshwater sediments - Value: 52.3 mg/kg

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Soil (agricultural) - Value: 4.59 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

PROPAN-2-OL - CAS: 67-63-0

Target: Microorganisms in sewage treatments - Value: 2251 mg/l

Target: Marine water sediments - Value: 552 mg/kg

Target: Soil (agricultural) - Value: 28 mg/kg

Target: Marine water - Value: 140.9 mg/l

D-LIMONENE - CAS: 5989-27-5

Target: Fresh Water - Value: 0.014 mg/l

Target: Marine water - Value: 0.014 mg/l

Target: Marine water sediments - Value: 0.385 mg/kg

Target: Freshwater sediments - Value: 3.85 mg/kg

Target: Soil (agricultural) - Value: 0.763 mg/kg

Target: Food chain - Value: 133 mg/kg

Target: Microorganisms in sewage treatments - Value: 1.8 mg/l

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	--
Colour:	white/yellow	Visual	--
Odour:	Citrus	Olfactory	--
Odour threshold:	Evident	Olfactory	--
Melting point/freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	>= 100 °C	--	Estimated value on chemical / physical properties of components
Flammability:	flammable	--	Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	42 ° C	EN ISO 3679	--
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
pH:	8,0 +/- 0,5	Instrumental control	--
Kinematic viscosity:	2500 +/- 1000 cP	Instrumental control	--
Solubility in water:	Total	--	Internal tests
Solubility in oil:	Partial	--	Internal tests
Partition coefficient n-octanol/water (log value):	< 1000	--	Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Density and/or relative density:	0.962 g/ml	Instrumental control	--
Relative vapour density:	Not Relevant	--	Parameter not relevant for the type of product

Particle characteristics:

Particle size (average and range)	Not Relevant	--	Parameter not relevant for the type of product
-----------------------------------	--------------	----	--

- 9.2. Other information
No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
Do not use in combination with other products.
- 10.2. Chemical stability
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
See also section 7.2.
In normal conditions no dangerous reactions of the mixture
- 10.4. Conditions to avoid
Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
Do not use in combination with other products.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

EMULSIO EXPERT TERGI TUTTO

- a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
Not classified
Based on available data, the classification criteria are not met
- c) serious eye damage/irritation
Not classified
Based on available data, the classification criteria are not met
- d) respiratory or skin sensitisation
Not classified
Based on available data, the classification criteria are not met
- e) germ cell mutagenicity
Not classified
Based on available data, the classification criteria are not met
- f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
- g) reproductive toxicity
Not classified

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

HYDROCARBONS, C10-12, ISOALKANES

a) acute toxicity

ATE - Oral 5000 mg/kg bw

ATE - Dermal 5000 mg/kg bw

ATE - Inhalation (Vapours) 5000 mg/l

Test: LC50 - Route: Inhalation - Species: Rat = 5000 mg/m³ - Duration: 8h - Source: OCSE 403

Test: LD50 - Route: Oral - Species: Rat = 5000 mg/kg - Source: OCSE 401

Test: LD50 - Route: Skin - Species: Rabbit = 5000 mg/kg - Source: OCSE 402

b) skin corrosion/irritation:

Test: Skin Irritant Negative - Source: OCSE 404

c) serious eye damage/irritation:

Test: Eye Irritant Negative - Source: OCSE 405

d) respiratory or skin sensitisation:

Test: Skin Sensitization Negative - Source: OCSE 406

e) germ cell mutagenicity:

Test: Mutagenesis Negative - Source: OCSE 471 473 474 476 478 479

f) carcinogenicity:

Test: Carcinogenicity Negative - Source: OCSE 453

g) reproductive toxicity:

Test: Reproductive Toxicity Negative - Source: OCSE 414 421 422

j) aspiration hazard:

Test: Aspiration hazard Yes - Source: Product Properties

ETHANOL - CAS: 64-17-5

a) acute toxicity:

Test: LC50 - Route: Inhalation Vapour - Species: Rat = 116.9 mg/l - Duration: 4h - Source: OECD403

Test: LD50 - Route: Oral - Species: Rat = 10470 mg/kg - Source: OECD401

b) skin corrosion/irritation:

Test: Skin Irritant Negative - Source: OECD404

c) serious eye damage/irritation:

Test: Eye Irritant Positive - Source: OECD405

e) germ cell mutagenicity:

Negative

f) carcinogenicity:

Negative

g) reproductive toxicity:

Negative

h) STOT-single exposure:

Negative

i) STOT-repeated exposure:

Negative

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3739 mg/kg - Notes: bw/day

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Notes: bw/day

Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404

f) carcinogenicity:

Negative

g) reproductive toxicity:

Test: NOAEL - Species: Rat = 1500 ppm - Source: OECD 414

i) STOT-repeated exposure:

Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 -
Notes: bw/day

Test: NOAEC - Route: Inhalation Vapour - Species: Rabbit = 1000 ppm - Source:
OECD 413 - Notes: bw/day

PROPAN-2-OL - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 10000 ppm - Duration: 6h

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit No - Source: OECD 404

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Yes - Source: OECD 405

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

e) germ cell mutagenicity:

Test: Mutagenesis Negative

g) reproductive toxicity:

Test: NOAEL - Route: Oral - Species: Rabbit = 480 mg/kg

D-LIMONENE - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Notes: dw

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Notes: dw

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9

a) acute toxicity:

Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.31 mg/l - Duration: 4h

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin Positive

c) serious eye damage/irritation:

Test: Eye Corrosive Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin Positive

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

EMULSIO EXPERT TERGI TUTTO

The product is classified: Aquatic Chronic 3 - H412
HYDROCARBONS, C10-12, ISOALKANES

a) Aquatic acute toxicity:

Endpoint: LE0 - Species: Daphnia = 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: LE0 - Species: Algae = 1000 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: NOELR - Species: Algae = 1000 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: LL0 - Species: Fish = 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

b) Aquatic chronic toxicity:

Endpoint: NOELR - Species: Daphnia < 1 mg/l - Duration h: 504 - Notes: Daphnia magna

ETHANOL - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 14200 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 5012 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia >= 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

PROPAN-2-OL - CAS: 67-63-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 9640 mg/l - Duration h: 48 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 24 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 1800 mg/l - Duration h: 168 - Notes: Scenedesmus quadricauda

D-LIMONENE - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.720 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 0.85 mg/l - Duration h: 24 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 0.32 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture.

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

HYDROCARBONS, C10-12, ISOALKANES

Biodegradability: Readily biodegradable - Test: Ready biodegradability in water -

Duration: 28 days - %: 31.3

ETHANOL - CAS: 64-17-5

Biodegradability: Readily biodegradable

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable - Test: OECD 301E - Duration: 28 days - %: 96

D-LIMONENE - CAS: 5989-27-5

Biodegradability: Readily biodegradable - Test: OECD 301D - Duration: 28 days - %:

80

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Bioaccumulation: Slightly bioaccumulative - Test: LogKow -0.35 - Notes: 24°C

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentration factor <100

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

Safety Data Sheet

EMULSIO EXPERT TERGI TUTTO

- 14.4. Packing group
Not applicable
- 14.5. Environmental hazards
 - ADR-Environmental Pollutant: No
 - IMDG-Marine pollutant: No
- 14.6. Special precautions for user
Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) n. 2020/878
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)
 - Regulation (EU) n. 618/2012 (ATP 3 CLP)
 - Regulation (EU) n. 487/2013 (ATP 4 CLP)
 - Regulation (EU) n. 944/2013 (ATP 5 CLP)
 - Regulation (EU) n. 605/2014 (ATP 6 CLP)
 - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 - Regulation (EU) n. 2016/918 (ATP 8 CLP)
 - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 - Regulation (EU) n. 2017/776 (ATP 10 CLP)
 - Regulation (EU) n. 2018/669 (ATP 11 CLP)
 - Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 - Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

- Directive 2012/18/EU (Seveso III)
- Regulation (EC) nr 648/2004 (detergents).
- Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

- Seveso III category according to Annex 1, part 1
- None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

Safety Data Sheet
EMULSIO EXPERT TERGI TUTTO

H411 Toxic to aquatic life with long lasting effects.
 EUH066 Repeated exposure may cause skin dryness or cracking.
 H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H400 Very toxic to aquatic life.
 H412 Harmful to aquatic life with long lasting effects.
 H317 May cause an allergic skin reaction.
 H315 Causes skin irritation.
 H330 Fatal if inhaled.
 H310 Fatal in contact with skin.
 H301 Toxic if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.
 Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
 Commission of the European Communities
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
 Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.



Safety Data Sheet EMULSIO EXPERT TERGI TUTTO

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/NOAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



Safety Data Sheet
EMULSIO EXPERT TERGI TUTTO

ANNEX I

CONSUMER PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU21 – Consumer use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment